



PALLET LPS



24B, Getmana Masepy Str., Rozhysche, Volyn region, Ukraine
Tel./Fax: +38 (0332) 77 08 28, 77 08 23
www.europallet.com.ua

A-001

1200x800


Weight of pallet
25 kgMaximum load
on pallet
1400 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x98x1200
Stringer board	2	22x98x1200
Intermediate board	2	22x98x1200
Lower board	3	22x98x1200
Transverse boards	3	22x98x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-001K hard

1200x800Weight of pallet
25 kgMaximum load
on pallet
1300 kgMaterial
PineCertificate
ISPM 15


Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x98x1200
Stringer board	2	22x98x1200
Intermediate board	2	22x98x1200
Lower board	3	22x98x1200
Transverse boards	3	22x98x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-002K


1200x800

Weight of pallet
16 kgMaximum load
on pallet
600 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	13x75x1200
Stringer board	1	13x75x1200
Intermediate board	2	13x75x1200
Lower board	3	16x75x1200
Transverse boards	3	16x75x800
Blocks	9	75x75x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-003**1200x800**Weight of pallet
17 kgMaximum load
on pallet
700 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	16x75x1200
Stringer board	1	16x75x1200
Intermediate board	2	16x75x1200
Lower board	3	16x75x1200
Transverse boards	3	16x75x800
Blocks	9	75x75x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-004K**1200x800**Weight of pallet
22 kgMaximum load
on pallet
1300 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x98x1200
Stringer board	1	22x98x1200
Intermediate board	2	22x98x1200
Lower board	3	22x98x1200
Transverse boards	3	22x98x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-008K

1200x800



Weight of pallet
19 kg



Maximum load
on pallet
1000 kg



Material
Pine



Certificate
ISPM 15


Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	2	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	17x95x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-O11

1200x800

Weight of pallet
18 kgMaximum load
on pallet
1200 kgMaterial
PineCertificate
ISPM 15


Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	2	17x95x1200
Intermediate board	2	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	17x95x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-022


1200x800

Weight of pallet
19 kgMaximum load
on pallet
1300 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	4	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	17x95x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-086K**1200x860**Weight of pallet
20 kgMaximum load
on pallet
1300 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	4	17x95x1200
Lower board	3	22x98x1200
Transverse boards	3	17x95x860
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-EUR1**1200x800**Weight of pallet
30 kgMaximum load
on pallet
2000 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x143x1200
Stringer board	1	22x143x1200
Intermediate board	2	22x98x1200
Lower board	2 1	22x98x1200 22x143x1200
Transverse boards	3	22x143x800
Blocks	9	143x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-EUR2**1200x800**Weight of pallet
30 kgMaximum load
on pallet
2000 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x143x1200
Stringer board	1	22x143x1200
Intermediate board	2	22x98x1200
Lower board	2 1	22x98x1200 22x143x1200
Transverse boards	3	22x143x800
Blocks	9	143x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

A-EUR3K**1200x800**Weight of pallet
30 kgMaximum load
on pallet
2000 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x98x1200
Stringer board	2	22x98x1200
Intermediate board	2	22x98x1200
Lower board	2 1	22x98x1200 22x143x1200
Transverse boards	3	22x143x800
Blocks	9	143x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-002K**1200x1000**Weight of pallet
17 kgMaximum load
on pallet
1000 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	2	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	17x95x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-004

1200x1000



Weight of pallet
22 kg



Maximum load
on pallet
1500 kg



Material
Pine




Certificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	4	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	22x98x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-005K**1200x1000**Weight of pallet
27 kgMaximum load
on pallet
1800 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	4	17x95x1200
Lower board	3	22x143x1200
Transverse boards	3	22x98x1000
Blocks	9	143x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-007**1200x1000**Weight of pallet
29 kgMaximum load
on pallet
1800 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x98x1200
Stringer board	1	22x98x1200
Intermediate board	4	22x98x1200
Lower board	3	22x98x1200
Transverse boards	3	22x98x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-007K**1200x1000**Weight of pallet
20 kgMaximum load
on pallet
1500 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	4	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	17x95x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-009(16)**1200x1000**Weight of pallet
20 kgMaximum load
on pallet
1300 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	2	17x95x1200
Intermediate board	2	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	22x98x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-011**1200x1000**Weight of pallet
19 kgMaximum load
on pallet
1100 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1000
Stringer board	1	17x95x1000
Intermediate board	6	17x95x1000
Lower board	3	17x95x1000
Transverse boards	3	22x75x1200
Blocks	9	95x75x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

B-EUR**1200x1000**Weight of pallet
40 kgMaximum load
on pallet
2500 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x143x1200
Stringer board	1	22x143x1200
Intermediate board	4	22x98x1200
Lower board	2	22x98x1200
	1	22x143x1200
Transverse boards	3	22x143x1000
Blocks	9	143x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

D-007**600x800**Weight of pallet
9 kgMaximum load
on pallet
400 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	16x75x600
Stringer board	1	16x75x600
Intermediate board	2	16x75x600
Lower board	3	16x75x600
Transverse boards	2	16x75x800
Blocks	6	75x75x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

D-007K**600x800**Weight of pallet
9 kgMaximum load
on pallet
400 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	16x75x600
Stringer board	1	16x75x600
Intermediate board	2	16x75x600
Lower board	3	16x75x600
Transverse boards	2	16x75x800
Blocks	6	75x75x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

D-008(22)**800x800**Weight of pallet
18 kgMaximum load
on pallet
2000 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	22x95x800
Stringer board	1	22x95x800
Intermediate board	2	22x95x800
Lower board	3	22x95x800
Transverse boards	3	22x95x800
Blocks	9	95x95x75

ADDITIONAL CONDITION:


- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

D-012**1000x1000**Weight of pallet
15 kgMaximum load
on pallet
1100 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1000
Stringer board	1	17x95x1000
Intermediate board	4	17x95x1000
Lower board	3	17x95x1000
Transverse boards	3	17x95x1000
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.

C-002**1200x1200**Weight of pallet
30 kgMaximum load
on pallet
1800 kgMaterial
PineCertificate
ISPM 15

Specification	Quantity, pc	Dimensions, mm
Lead board	2	17x95x1200
Stringer board	1	17x95x1200
Intermediate board	6	17x95x1200
Lower board	3	17x95x1200
Transverse boards	3	22x98x1200
Blocks	9	95x95x75

ADDITIONAL CONDITION:

- burning out the stamp of the customer on the pallets;
- production three pallets according to the customer's drawings and specifications;
- the letter "K" on the pallet's type means the presence of a small amount of bark.